

Simple, Effortless, Intelligent.



Professional Colour Laser Printer

HL-L9470CDN



PRINT



OPTIONAL
WIRELESS



3 YEAR RTB
WARRANTY

www.brother.com.au

Simple, Effortless, Intelligent.

Make the right impression when it counts with vibrant, professional outputs, and standout technology. The HL-L9470CDN comes with industry-leading security, third-party solutions integration, impressive scalability, and a robust design - you can be confident that it will keep up with the demands of a busy office.

HL-L9470CDN



Key Features:

- Print speed of up to 40ppm⁷
- Automatic 2-sided (duplex) print
- Easy-to-use 8.8cm colour touchscreen
- 520-sheet paper input tray expandable up to 2,600 sheets via additional paper trays⁴
- 100-sheet⁴ multi-purpose tray
- Gigabit Ethernet & USB connectivity and NFC for secure authentication
- 1GB internal memory
- Integrates with Brother and third-party solutions
- Optional 2.4/5GHz Wireless card, optional 8-16GB USB Memory Drive for encrypted secure print functionality
- Optional Mailbox output tray, 100 sheets⁴ x 4 bins or 400 sheets⁴ x 2 bins
- Includes in-box toners that print up to 12,000 pages¹⁰ (BK), 9,000 pages¹⁰ (C/M/Y)
- Super-high capacity replacement toners available, that print up to 15,000 pages¹⁰ (BK), 12,000 pages¹⁰ (C/M/Y)
- 3 Years Return-To-Base warranty



When quality and performance work together

Simple, effortless, and intelligent, the HL-L9470CDN will make the right impression when it counts with vibrant, professional colour outputs. Combined with fast print speeds of up to 40ppm⁷, advanced built-in features and a robust design that's built to last - high-volume printing has never been so efficient.



Designed to print for longer

The robust design and long-life components of the HL-L9470CDN ensures that it will keep on performing without interruption. With high-yield in-box toners that can print up to 12,000 pages¹⁰ in black and 9,000 pages¹⁰ in colour, and components with double the service life compared to our previous range, including the belt, engine, and drum unit – you can be confident that it will keep up with the demands of a busy office.



Flexible connectivity options

Connect your way with gigabit network and NFC as standard for secure authentication and mobile printing. You can also take advantage of the optional 2.4/5GHz Wi-Fi module for added convenience.




Impressive scalability

Engineered to fit into your workspace and meet specific printing requirements, the HL-L9470CDN can be transformed from a desktop device to a highly efficient, floor-standing model. The impressive scalability of this printer means it can expand its paper handling from 520 sheets⁴ to 2,600 sheets⁴ by adding optional paper trays.



Secure by design

To keep pace with the ever-evolving legislation on privacy and data security, our devices offer the latest industry-standard security features to securely protect your data. The HL-L9470CDN provides a range of robust features including triple-layer security at a device, network and document level which is verified through external security certification. This offers added peace of mind and guarantees that the integrity of your data is maintained at every step.



Solutions ready

Easily set up, customise, and automate workflows for optimised use and improve business processes and security with print management solutions. A suite of document management, security and workflow solutions can be added to the HL-L9470CDN to provide additional professional features. [Contact our Team to find out more.](#)



Seamless integration

As a Brother customer, you'll have access to a wide choice of leading software vendors, including PaperCut, Kofax and YSoft, to create tailored solutions for your specific requirements and ensure your HL-L9470CDN works even harder to meet your needs.



MPS ready

Managed Print Services (MPS) supports you to get the best out of your devices - that's why the HL-L9470CDN has been designed with MPS in mind. Whatever your printing needs, we'll be *at your side* to find the solution that simplifies printer admin, saves time, keeps costs down, and helps you stay productive, by partnering with our national MPS partner network to deliver a service that's fit for your business.



At your side support

Wherever you are in Australia, Brother offers free customer care for the lifetime of your product.

General		Display	
Engine	Colour Laser	LCD Display	8.8cm Colour LCD (Touchscreen)
CPU Speed	800MHz	LED Display	Green x 1 (Power)
Carton Contents	Printer, Quick Setup Guide, Power Cord, Black Toner High Yield (TN851XLBK) Up to 12,000 pages (10), Colour Toner High Yield (TN851XLC/TN851XLM/TN851XLY) Up to 9,000 pages (10), Belt Unit: Up to 150,000 pages (2-page per job), Up to 100,000 pages (1-page per job)(BU800CL), Waste Toner Box: Up to 100,000 pages (WT800CL), Drum Unit: Up to 30,000 pages (1-page per job), Up to 100,000 pages (3-page per job) (DR821CL)	Printer	
		Print Speed ⁷	Up to 40 ppm Mono Up to 40 ppm Colour
		Standard Memory	1GB
		2-Sided (duplex) Print Speed ⁷	Up to 40/40 ipm or 20/20 ppm (Mono/Colour, based on ISO/IEC 24734)
		2-Sided (duplex) Print	Yes (Automatic)

Emulation	PCL5e, PCL5c, PCL6 (PCL XL Class3.0), BR-Script3, PDF Version 1.7, XPS Version 1.0
Printer Resolution	600 x 600dpi, 2400dpi (2400 x 600) quality
Printer OS Compatibility	Windows 11, Windows 10 (32&64bit), Windows 8/8.1 (32&64bit), Windows 7 (32&64bit), Windows Server 2022, Windows Server 2019, Windows Server 2016, Windows Server 2012/R2 (64bit), Windows Server 2008 (32&64bit), Windows Server 2008 R2 Mac OS X 10.14 - 10.15, macOS 11-14 ³ Linux CUPS, LPD/LPRng (x86/x64 environment) Citrix XenApp 6.0/ 6.5 and Citrix XenDesktop 5.0/ 5.6
First Print Out Time ⁸	Less than 10 secs Mono/Colour (From Ready mode and standard tray) Less than 30 secs Mono/Colour (From Sleep mode and standard tray)
Warm Up Time	Less than 20 sec from Sleep, Less than 55 sec from Power On
Resident Barcodes	Code39, Interleaved 2 of 5, FIM(US-PostNet), Post Net(US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN(EAN), ISBN(UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C), Code93, GS1Databar, MSI
Resident Fonts	PCL: 73 scalable fonts, 12 bitmap fonts, 16 bar codes PS: 66 scalable fonts
Resident Font BR-Script 3	66 scalable fonts
Resident Font PCL	73 scalable fonts, 12 bitmap fonts, 16 bar codes
Quiet Mode	A mode to reduce the printing noise by reducing the print speed
Direct USB	Yes - Print
USB Host	Yes (Front or Rear)
Digital-Media Spec	USB Memory Drive (Individual files no larger than 2GB). External drive must be exFAT formatted
Digital-Media Format	PDF version1.7, JPEG, Exif+JPEG, PRN (created by own printer driver), TIFF (MH, scanned by Brother model), XPS Version 1.0
Connectivity	
Interface	Hi-Speed USB 2.0, 10Base-T/100Base-TX/1000Base-T Ethernet, NFC, (Optional 2.4/5GHz Wi-Fi)
USB Interface	Hi-Speed USB 2.0
Wired Interface	10Base-T/100Base-TX/1000Base-T Ethernet
Wireless Interface ¹²	2.4GHz: IEEE 802.11b/g/n, 5GHz: IEEE 802.11a/n
Wireless Mode ¹²	2.4GHz: IEEE 802.11b/g/n (Infrastructure Mode mode), 5GHz: IEEE 802.11a/n (Infrastructure Mode mode)
Wireless Setup Support Utility ¹²	With Optional Card: Wi-Fi Protected Setup (WPS)
Wi-Fi Direct ¹²	2.4GHz: IEEE 802.11g/n, 5GHz: IEEE 802.11a/n
NFC	Integrated NFC Reader Supported for printing and scanning. NFC standards include: (ISO14443 Type A) MIFARE Standard/Plus/ Ultralight/Ultralight C/DESfire my-d move, Tag-it (ISO15693 Type B)
Network Protocols IPV4	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP/PPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/v3, ICMP, Web Services (Print), CIFS client, SNTTP client, LDAP
Network Protocols IPV6	NDP, RA, DNS resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/PPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/v3, ICMPv6, Web Services (Print), CIFS Client, SNTTP Client, LDAP
Security	
Active Directory Authentication	Restrict the use of your Brother device. The device's control panel will be locked
LDAP	Integrate with a directory server to look up contacts and e-mail addresses
Brother Solutions Interface	Brother Solutions Interface (BSI) Developer Program is a platform that enables third-party developers to build custom solutions for and integrate with Brother Devices
Wireless Security Protocols	With Optional Card: WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), Wi-Fi Direct supports WPA2-PSK (AES) only.

Wireless Certification	With Optional Card: Wi-Fi Certification Mark License (WPA/WPA2 - Enterprise, Personal), Wi-Fi Protected Setup (WPS) Identifier Mark License, Wi-Fi CERTIFIED Wi-Fi Direct
IPv4-Filter	Restrict which network users can or cannot access the device over the network (IPv4 only)
Secure Function Lock	Version 3, 200 users
Network Management Utilities	
Network Management	Windows: BRAdmin Light, Web Base Management, BRAdmin Professional, Network Remote Setup Mac: Web Base Management Linux: Web Base Management
Web Based Management	Web based print management software embedded onto the device
BRAdmin Professional ¹	Windows only
Email Alerts	E-mail Notification and E-mail Reports
Store Print Log to Network ²	User level usage data recorded to either a text or csv file direct to a network folder
Driver Deployment Wizard ¹	Windows Only
Mobile/Web Printing	
iPrint&Scan ¹	Windows/Mac (Print only)
Universal Print	Allows you to manage your printer fleet through cloud services from Microsoft without installing any additional software
Mobile Connect	Use Brother Mobile Connect to print, scan, and copy, as well as manage your machine and customize its features (iOS & Android)
Android Print Service Plugin	Print directly from your Android devices (Android 5.0 or later), to your Brother printer through a Wi-Fi network
AirPrint	Print most common file types from any Apple AirPrint enabled application
Mopria	Print most common file types from Mopria™ supported Android devices
Google ChromeOS	Print from your Chromebook with most printers that connect to Wi-Fi or a wired network
Web Connect ⁶	Print from: Google Drive, Evernote, DropBox, Box, OneDrive, OneNote, SharePoint Online
Software	
Software Included	Windows: iPrint&Scan ¹ , Status Monitor, BRAdmin Light ¹ , BRAdmin Professional ¹ , Driver Deployment Wizard ¹ Mac: iPrint&Scan, Status Monitor
Kofax	Yes
YSoft	Yes
Manual Duplex	The machine prints all the even-numbered pages on one side of the paper first. Then, the printer driver instructs you (with a pop-up message) to reinsert the paper to print the odd-numbered pages.
Cerner Certified	Yes, Brother print solutions for healthcare are Cerner certified and support HIPAA compliance
Watermark Printing ²	Windows Only
Archive Printing ²	Windows Only
Header and Footer Printing ²	Windows Only
N-up Printing	2, 4, 9, 16, 25 in 1 page (Windows), 2, 4, 6, 9, 16 in 1 page (Mac)
Poster Printing ²	1 in 2x2, 3x3, 4x4, 5x5 (Windows Only)
Printer Driver Functions	Windows: Poster, N in 1, Header-Footer, Watermark, Duplex, Secure Print, Toner Save Mode Mac: N in 1, Duplex, Secure Print, Toner Save
Secure Print	Windows / Mac
Paper Handling⁴	
Standard Paper Capacity	Up to 520 sheets
Multi-Purpose Tray Capacity	Up to 100 sheets / 15 envelopes
Optional Paper Tray ¹¹	250 sheets (LT-330CL) x 3 or 500 sheets (LT-340CL) x 2 or 250 sheets (LT-330CL) x 1 + 500 sheets (LT-340CL) x 1 (Max. 1,000 sheets) or 520 sheets x 4 cassettes (TT-4000) connecting adaptor required (TC-4100)
Envelopes Input	Up to 15 envelopes face down (MP tray only) output via rear

Output Paper Capacity	Up to 250 sheets face down (80gsm) 1 sheet face-up (straight paper path)
Media Size Paper Tray	A4, Letter, B5(ISO), A5, A5(Long Edge), A6, Executive, Legal, Folio, Mexico Legal, India Legal, A4 Short (270mm Paper), Folio, 16K
Media Size Paper Tray (Option)	A4, Letter, A5, Executive, Legal, Folio, Mexico Legal, India Legal, A4 Short (270mm Paper), 16K
Media Size MP Tray	Width 76.2 to 215.9 mm, Length 127 to 355.6 mm, Envelope; COM-10, DL, C5, Monarch
Media Size Duplex	A4, Letter, Legal, Mexico Legal, India Legal, A4 Short (270mm Paper), Folio
Media Types Paper Tray	Plain Paper, Letterhead, Coloured Paper, Thin Paper, Thick Paper, Thicker Paper, Recycled Paper
Media Types Paper Tray (Option)	Plain Paper, Letterhead, Coloured Paper, Thin Paper, Recycled Paper
Media Types MP Tray	Plain Paper, Letterhead, Coloured Paper, Thin Paper, Thick Paper, Thicker Paper, Recycled Paper, Bond, Label, Envelope, Envelope Thin, Envelope Thick, Glossy Paper
Media Types Duplex	Plain Paper, Letterhead, Coloured Paper, Thin Paper, Thick Paper, Thicker Paper, Recycled Paper, Glossy Paper
Media Weights Paper Tray	60 - 230 gsm
Media Weights Paper Tray (Option)	60 - 105 gsm
Media Weights MP Tray	60 - 230 gsm
Media Weights Duplex	60 - 230 gsm
Media Low or Out Sensor	Yes for both Standard and Optional Lower trays
Media Output Sensor	When the output paper tray is full
Consumables	
Consumables ¹⁰	Black Toner Standard Yield (TN851BK) Up to 9,000 pages Colour Toner Standard Yield (TN851C/TN851M/TN851Y) Up to 6,500 pages Black Toner High Yield (TN851XLBK) Up to 12,000 pages Colour Toner High Yield (TN851XLC/TN851XLM/TN851XLY) Up to 9,000 pages Black Toner Super High Yield (TN851XXLBK) Up to 15,000 pages Colour Toner Super High Yield (TN851XXLC/TN851XXLM/TN851XXLY) Up to 12,000 pages Belt Unit: Up to 150,000 pages (2-page per job), Up to 100,000 pages (1-page per job)(BU800CL) Waste Toner Box: Up to 100,000 pages (WT800CL) Drum Unit: Up to 100,000 pages (3-page per job), Up to 30,000 pages (1-page per job) (DR851CL)

Options	
Optional Warranty ¹²	1,2,3 Years Onsite
Optional Network Interface ¹²	Wireless 2.4Ghz / 5Ghz (NC-9000w)
Options (ALL) ⁴	250 sheets (LT-330CL) x 3 or 500 sheets (LT-340CL) x 2 or 250 sheets (LT-330CL) x 1 + 500 sheets (LT-340CL) x 1 (Max. 1,000 sheets) or Tower Tray - 520 sheets x 4 cassettes (TT-4000) with TC-4100 Mailbox (MX-4000)-100 sheets x 4 bins or 400 sheets x 2 bins Wireless 2.4Ghz / 5Ghz (NC-9000w)
Optional Storage Device	8-16GB FAT32 Format USB Memory Stick
Optional Mailbox ⁴	Mailbox (MX-4000) 100 sheets x 4 bins or 400 sheets x 2 bins (80gsm)
Optional Stabilizer	Tower Tray (TT-4000) - Requires Connector (TC-4100)
Weights & Measurements	
Size	442(W) x 541(D) x 403(H)mm
Weight	22.8 Kg without consumables
Size with Carton	557(W) x 628(D) x 633(H)mm
Weight with Carton	34.2 Kg with consumables
Environment	
Sleep Mode	Yes (0-50 min)
Power Consumption	Peak: Average 770W, Ready: Average 85W, Sleep: 15.6W, Deep Sleep: 1W, Power Off: 0.04W
TEC Value	0.662 kWh/Week
Noise Level	Sound Pressure Level: (Printing) Less than 55 dBA, (Ready) 17.2 dB(A) Sound Power Level: (Printing) Less than 6.87B, (Ready) 3.02B(A)
Temperature	Operating: 10 - 32°C Storage: 0 - 40°C
Humidity	Operating: 20 - 80%, Storage: 10 - 90%
Toner Save	This reduces the toner usage and helps to reduce the total cost of printer ownership
Power Save	This enables the printer to consume less energy when not in use
Others	
Recommended Monthly Print Volume ⁵	1,000 to 15,000 pages
Warranty	3-year return-to-base

1. Download from Brother Solutions Centre
2. Windows only
3. Via Airprint or iPrint&Scan
4. Capacity calculated with 80g/m² paper
5. The recommended monthly print volume is to achieve the best possible performance and printer life
6. Must be connected to the internet
7. Print speeds based on ISO/IEC 24734 (www.brother.com/rd/printspeed)
8. FPOT (First Print Out Time) based on ISO/IEC 17629
9. Scan speeds based on ISO/IEC 17991
10. Approx. declared yield value in accordance with ISO/IEC 19798
11. Purchase optional tray required
12. Purchase optional network module required
13. Purchase optional onsite warranty required

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com

